UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/564,051	01/09/2006	Chikashi Suga	K0522.70000US00	5728
	7590 04/20/200 IFIELD & SACKS, P.(EXAMINER		
600 ATLANTIC AVENUE BOSTON, MA 02210-2206			ALTER, ALYSSA MARGO	
DOS TOIN, MIA 02210-2200			ART UNIT	PAPER NUMBER
			3762	
			MAIL DATE	DELIVERY MODE
			04/20/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/564,051	SUGA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Alyssa M. Alter	3762				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>15 Ja</u>	nuarv 2009.					
	action is non-final.					
<i>,</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1,2,12,13 and 18-22</u> is/are pending in the application.						
• • • • • • • • • • • • • • • • • • • •	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,2,12,13 and 18-22</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>09 January 2006</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
·— ·—	1. Certified copies of the priority documents have been received.					
	—					
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	4) T laster to 2	(DTO 442)				
1)						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application						
Paper No(s)/Mail Date <u>1/16/09</u> . 6) Other:						

Application/Control Number: 10/564,051 Page 2

Art Unit: 3762

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 1-2,12-13 and 18-22 have been considered but are moot in view of the new ground(s) of rejection necessitated by amendment.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

1. Claims 1-2,12-13 and 18-22 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear what the Applicant considers an "ON mode" and an "OFF mode" to be. Furthermore the limitations describing the "ON" and "OFF" mode are vague and appear to be method-like claims describing the modes.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 1. Claims 1-2, 12-13 and 18-22 are rejected under 35 U.S.C. 102(b) as being anticipated by Bourgeois et al. (US 6,126,611). Bourgeois et al. discloses an apparatus

to manage sleep apnea, wherein the apparatus is a rate responsive pacemaker.

Bourgeois et al. discloses a pacemaker which necessarily comprises a memory.

Furthermore, since Bourgeois et al. employs a threshold value to compare to the apnea parameters, thus the examiner considers the memory to store at least two detection parameters or reference values in order to determine is an arrhythmia is occurring.

"In a preferred embodiment, the device is provided with an on/off switch mechanism (such as a reed switch) for connecting/disconnecting the apnea circuit. In one arrangement, for example where apnea is detected through minute ventilation, if the apnea persists for a predetermined time, e.g. 10 seconds, the cardiac pacing rate switches to the higher rate. This mode switch can be abrupt or gradual. After a fixed period of time, or when the apnea is terminated, pacing is then withdrawn" (e.g.col. 5, lines 53-61). Therefore, the examiner considers Bourgeois et al. to provide both an ON mode and an OFF mode. The ON mode is the mode that mitigates detected arrhythmias and the OFF mode is when the system returns to normal pacing functions after the arrhythmia is terminated.

Furthermore, "if the pulse generator has an activity sensor, switching can automatically occur if body activity less than a pre-determined threshold or minute ventilation indicative of sleep is detected for a predetermined time, e.g. 10 seconds. If body activity is subsequently detected over a period of say a few seconds, the pulse generator then switches back to its normal operation" (e.g. col. 5-6, lines 65-67 and 1-4).

Application/Control Number: 10/564,051 Page 4

Art Unit: 3762

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 10/564,051 Page 5

Art Unit: 3762

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alyssa M. Alter whose telephone number is (571)272-4939. The examiner can normally be reached on M-F 8am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George R Evanisko/ Primary Examiner, Art Unit 3762 /Alyssa M Alter/ Examiner Art Unit 3762